







TECHNICAL CHARACTERISTICS

senso

			Planks	Tiles
DESCRIPTION				
Total thickness	EN 428	mm	2.00	2.00
Thickness of the wear layer	EN 429	mm	0.20	0.20
Weight / Mass per unit area	EN 430	g/sqm	3920	3425
Dimensions	EN 427	cm	91.4 x 15.2 91.4 x 18.4	45.7 x 45.7 30.5 x 60.9
Surface treatment	-	-	PUR	PUR
Plank or tiles per box	-	planks tiles	16	11 (45.7 x 45.7) 12 (30.5 x 60.9)
Area per box	-	sqm	2.2 (91.4 x 15.2) 2.69 (91.4 x 18.4)	2.29 (45.7 x 45.7) 2.22 (30.5 x 60.9)
CLASSIFICATION				
Norm / Product specification	-	EN 649	EN 649	EN 649
European classification	EN 649	class	22	22
Fire rating - Classification	NF EN 13501-1	class	Bfl S1	Bfl S1
Wear Group	EN 649	group	T	T
VOC rating (French norm)	-	-	A+	A+
Agbb (german norm)	-	-	OK	OK
VOC rate 28 days	-	µg/m ³	< 100	< 100
PERFORMANCES				
Sound insulation	EN ISO 717/2	dB	3	3
Room impact noise	NF S 31074	class	C	C
Slip resistance wet: ramp test with oil	DIN 51 130	class	R9	R9
Dimensional stability after exposure to heat	EN 434	%	≤ 0.25	≤ 0.25
Residual Indentation	EN 433	mm	0.05	0.05
Thermal conductivity	EN 12524	W(m.k)	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6
Wet rooms	-	-	OK	OK
Floor heating	-	-	OK - T < 28°C	OK - T < 28°C
Static electrical probersity	NF EN 1815	-	< 2 kV	< 2 kV
Garantee residential use	-	year	10	10
CE MARKING				
		EN 14041	  	
Areas of use: domestic			